NEUROSCIENCE LETTERS

Vol. 175 Nos. 1,2 **JULY 4th, 1994**

(Cited in Biological Abstracts (BIOSIS), Chemical Abstracts, Current Contents/Life Sciences, Excerpta Medica (EMBASE), Index Medicus, PASCAL M and Science Citation Index)

CONTENTS

Guidelines for the Submission of Manuscripts v

The development of noradrenaline-, acetylcholinesterase-, neuropeptide Y- and vasoactive intestinal polypeptide-containing nerves in human cerebral arteries
K. Kawamura and S. Takebayashi (Japan) 1

Modulation of calcitonin gene-related peptide release from dorsal thoraco-lumbar spinal cord slices by 5-HT_3 receptors
M.A. Scott and K.C.F. Fone (UK) 5

Long-term effects of perinatal asphyxia on basal ganglia neurotransmitter systems studied with microdialysis in rat
C.F. Loidl, M. Herrera-Marschitz, K. Andersson, Z.-B. You, M. Goiny, W.T. O'Connor, R. Silveira, R. Rawal, B. Bjelke, Y. Chen and U. Ungerstedt (Sweden) 9

The 'deceleration response' to transient perturbation of upright stance
W.E. McIlroy and B.E. Maki (Canada) 13

[^{3}H]Clozapine is not a suitable radioligand for the labelling of D_4 dopamine receptors in postmortem human brain
A. Flamez, J.-P. De Backer, N. Wilczak, G. Vauquelin and J. De Keyser (Belgium) 17

Modulation of fast excitatory synaptic transmission by cyclothiazide and GYKI 52466 in the rat hippocampus
G. Rammes, C. Parsons, W. Müller and D. Swandulla (FRG) 21

Δ-9-Tetrahydrocannabinol regulates gene expression of the growth factor pleiotrophin in the forebrain
P. Mailleux, X. Preud'homme, N. Albala, J.-M. Vanderwinden and J.-J. Vanderhaeghen (Belgium) 25

NMDA receptor mRNA expression in NOS-containing neurons in the spinal trigeminal nucleus of the rat
C.S. Dohrn and A.J. Beitz (USA) 28

Secretory form of β-amyloid precursor protein is much abundantly contained in the cerebral white matter in human brain
T. Tokuda, K. Tanaka, F. Kametani, S. Ikeda and N. Yanagisawa (Japan) 33

Induction and immunological characterization of the uridine diphosphate-glucuronosyltransferase conjugating 1-naphthol in the rat choroid plexus
B. Leininger-Muller, J.-F. Ghersi-Egea, G. Siest and A. Minn (France) 37

Polyamines inhibit nitric oxide synthase in rat cerebellum
J. Hu, M.I. Mahmoud and E.E. El-Fakahany (USA) 41

Frequency of the apolipoprotein E ε2 allele is diminished in sporadic Alzheimer disease
H.L. West, G.W. Rebeck and B.T. Hyman (USA) 46

Changes in the concentrations of tau and other structural proteins in the brains of aged mice
B.A. Bahr, N. Lam and G. Lynch (USA) 49

Concomitant variation in immunoreactivity for enkephalins and neutral endopeptidase in the median eminence of the lactating rat
F. Vandenbulcke, P. Ciofi and J.C. Beauvillain (France) 53

C-fos expression after single and kindled audiogenic seizures in Wistar rats
S. Simler, E. Hirsch, L. Danober, J. Motte, M. Vergnes and C. Marescaux (France) 58

Expression of c-*fos* immunoreactivity in the hypothalamic magnocellular neurons during chronic osmotic stimulations
S. Miyata, T. Nakashima and T. Kiyohara (Japan) 63

Generation of hiccup by electrical stimulation in medulla of cats
H. Arita, T. Oshima, I. Kita and M. Sakamoto (Japan) 67

Possible involvement of the EP_2 receptor subtype in PGE_2-induced enhancement of the heat response of nociceptors
T. Kumazawa, K. Mizumura and H. Koda (Japan) 71

Association of apolipoprotein E4 with sporadic Alzheimer's disease is more pronounced in early onset type
X.Y. Dai, S. Nanko, M. Hattori, R. Fukuda, K. Nagata, K. Isse, A. Ueki and H. Kazamatsuri (Japan) 74

Newly observed pre-cerebellar neurons in the rat are homologous to neurons in the nucleus conterminalis in man
Y. Kobayashi (Japan) 77

Kinematic analyses of classically-conditioned eyelid movements in the cat suggest a brain stem site for motor learning
A. Gruart, P. Blázquez and J.M. Delgado-García (Spain) 81

Dimensionality alterations of the hippocampal electroencephalographic activity following the induction of long-term potentiation in rats
E. Koutsoukos, E. Angelopoulos, A. Maillis and C. Stefanis (Greece) 85

[^{3}H]Rolipram binding and phosphodiesterase activity in neuroblastoma N18TG-2 and glioma C6Bu-1
M. Tohda, T. Murayama, H. Hasegawa, S. Nogiri and Y. Nomura (Japan) 89

Changes of aggressive behavior and brain serotonin turnover after very low-dose X-irradiation of mice
Y. Miyachi, H. Kasai, H. Ohyama and T. Yamada (Japan) 92
CCK-8-evoked cationic currents in substantia nigra dopaminergic neurons are mediated by $InsP_3$-induced Ca^{2+} release
T. Wu and H.-L. Wang (ROC) 95
Enhanced cytotoxicity of amyloid β-peptide by a complement dependent mechanism
J. Schultz, J. Schaller, M. McKinley, B. Bradt, N. Cooper, P. May and J. Rogers (USA) 99
Synaptosomal high affinity transport systems for essential amino acids in rat brain cortex
K.V.R. Rao and C. Murthy (India) 103
Supersensitivity of quinpirole-evoked GTPase activation without changes in gene expression of D_2 and G_i protein in the striatum of hemi-dopaminergic lesioned rats
A. Inoue, H. Ueda, Y. Nakata and Y. Misu (Japan) 107
Local anaesthesia prevents acute inflammatory changes in neuropeptide messenger RNA expression in rat dorsal root ganglia neurons
L.F. Donaldson, D.S. McQueen and J.R. Seckl (UK) 111
Opposite effects of cyclohexyladenosine and theophylline on hypoxic damage in cultured neurons
J.-L. Daval and F. Nicolas (France) 114
Neurons dissociated from neocortex fire with 'burst' and 'regular' trains of spikes
E. Guatteo, A. Bacci, S. Franceschetti, G. Avanzini and E. Wanke (Italy) 117
MPTP-induced parkinsonism in primates: pattern of striatal dopamine loss following acute and chronic administration
I. Pérez-Otaño, C. Oset, M.R. Luquin, M.T. Herrero, J.A. Obeso and J. Del Río (Spain) 121
Species difference in the modulatory effect of κ agonist on 5-HT release from ground squirrel and rat hippocampus
Y. Cui, T. Lee and L.C.H. Wang (Canada) 126
Critical period for degradation of adult rat retinal ganglion cells and their regeneration capability after axotomy
M. Takano and H. Horie (Japan) 129
Visualization of DNA double strand breaks in the gerbil hippocampal CA1 following transient ischemia
S. Kihara, T. Shiraishi, S. Nakagawa, K. Toda and K. Tabuchi (Japan) 133
Characterization and application of microdialysis probes with an active exchange length compatible with small-size brain nuclei in the rat
M.-Y. Tsou, W.-B. Len, A.Y.W. Chang, J.Y.H. Chan, T.-Y. Lee and S.H.H. Chan (Taiwan) 137
Cytochrome oxidase histochemistry in Scarpa's ganglion after hemilabyrinthectomy
G.A. Kevetter and A.A. Perachio (USA) 141
Diminished potassium-stimulated GABA release in vivo in genetically epilepsy-prone rats
S.M. Lasley and Q. Yan (USA) 145
A new method for continuous measurement of regional cerebral blood flow using laser Doppler flowmetry in a conscious rat
A. Sato, S. Uchida and Y. Yamauchi (Japan) 149
Short-term or long-term intracerebroventricular (i.c.v.) infusion of insulin exhibits a discrete anabolic effect on cerebral energy metabolism in the rat
N. Henneberg and S. Hoyer (FRG) 153
Permissive effect of VIP on the hyperglycemic response induced by 2-deoxy-D-glucose
K. Shimizu, H. Hibino, N. Komenami, N. Nagai, K. Nagai and H. Nakagawa (Japan) 157
Muscarinic acetylcholine receptors on an identified motor neurone in the cockroach, *Periplaneta americana*
D. Bai and D.B. Sattelle (UK) 161
Catecholamine-induced mechanical sensitization of cutaneous nociceptors in the rat
M.S. Gold, D.M. White, S.C. Ahlgren, M. Guo and J.D. Levine (USA) 166
Phenytoin protects against hypoxia-induced death of cultured hippocampal neurons
F.H. Boehm, L.K. Liem, P.K. Stanton, P.E. Potter and J.R. Moskal (USA) 171

Errata 175

Announcement 177

Author index 178